



USER'S MANUAL FOR ELECTRIC FAN



MODEL:VF-18PM

BEFORE OPERATING THIS PRODUCT, READ, UNDERSTAND, AND  
FOLLOW THESE INSTRUCTIONS.

## **BEFORE FIRST USE**

Read and follow all the instructions in this "Use And Care" manual even if you feel you are familiar with the products, and find a place to keep it handy for future reference.

Your attention is drawn particularly to the sections concerning "IMPORTANT SAFEGUARDS"

## **IMPORTANT SAFEGUARDS**

### **PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE USING THE PRODUCT.**

When using the electrical appliance, the following basic safety precautions should always be followed.

#### **WARNING- to reduce the risk of fire, electric shock or injury to persons or property:**


- Always operate the product from a power source of the same voltage, frequency and rating as indicated on the product identification plate.
- This appliance has a ground plug which is intended to fit in an outlet only one way. If this does not fit outlet, contact a qualified electrician. Do not attempt to by-pass this procedure.
- Do not use this fan with any solid state speed control device to reduce the risk of electric shock.
- The appliance is not intended for use by persons (including children) with reduced physical, sensory, mental capabilities or lack of experience and knowledge, unless they have been given supervision or instructions concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not leave the fan running unattended.
- Do not operate the product if it is dropped, damaged or showing signs of product malfunction. Do not operate the product with a damaged plug or cord. Return the complete product to the place of purchase for inspection, refund or replacement.
- If it is not working properly, contact a qualified electrician or service centre for examination and repair, never try to dismantle it by yourself.
- Do not immerse or expose the product or flexible cord to rain, moisture or any other liquid.

This product should not be used in the immediate vicinity of water, such as bathtubs,

- washbowls, swimming pools etc. where the likelihood of immersion or splashing could occur.
- Never install the unit where it could be subject to:
  - Heat sources such as radiators, heat registers, stoves or other products that produce heat
  - Direct sunlight
  - Mechanical vibration or shock
  - Excessive dust
  - Lack of ventilation, such as a cabinet or bookcase
  - Uneven surface
- Switch off and unplug from outlet when the product is not in use, before assembling or disassembling parts and before cleaning. Fully assemble the fan before switching on.
- Avoid contact with moving parts. Do not insert any body parts (e.g. finger) or objects through the grill when the fan is operating.
- Do not cover the grille, or operate in close proximity to curtains, etc.
- This product is intended for normal domestic/household use only.
- Always disconnect the fan when moving it from one location to another.
- The use of attachments or accessories not recommended or sold by the product distributor may cause personal or property hazards or injuries.
- Be sure fan is on a stable surface when operating to avoid overturning.
- Do not immerse in water.
- If the supply cord is damaged, it must be replaced by the manufacturer or its service agent, or similarly qualified person, in order to avoid a hazard!

### **READ AND SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE**

## FEATURES OF THIS PRODUCT



- |                     |                                 |
|---------------------|---------------------------------|
| 1. Front Grill      | 9. Neck                         |
| 2. Grill Clip       | 10. Extension Pole              |
| 3. Fan Blade        | 11. Extension Pole Nut          |
| 4. Blade Set Screw  | 12. Base                        |
| 5. Rear Grill Screw | 13. Heavy Duty                  |
| 6. Rear Grill       | 14. Fastener for Extension Pole |
| 7. Motor Shaft      |                                 |
| 8. Motor Housing    |                                 |

## PRODUCT ASSEMBLY

- Assemble the extension pole onto base and heavy duty under the base by fastener
- Using the fastener to tighten extension pole to base

- Thread extension pole nut onto threads of extension pole
- Take fan motor housing and insert it into extension pole and tighten the neck set screw securely
- Remove four mounting screws from motor housing where indicated to use for rear grill then assemble rear grill onto motor housing using screws, tighten the 4 screws securely
- Place fan blade onto motor shaft. Tighten blade by set screw securely on flat surface on motor shaft
- Attach front grill to rear grill with hook clip centered on the top above wire handle. Press remaining grill clips onto rear grill to securely attach front grill. Do not operate fan without grill in place.

## OPERATION OF THE PRODUCT

- Connect the plug into an electrical socket.
- Turning fan on/off to start the fan, rotate control switch from "0" (off) to desired fan speed (1, 2, or 3).
- Pushing the knob on the motor housing to start oscillation, pulling the knob to stop.
- Rotating top control switch to "0" (off) position to discontinue use

## CLEANING

- Switch off and unplug from the power supply before assembling or disassembling and cleaning.
- Keep the air vents at the rear of the main body free from dust or fluff— use a vacuum cleaner to remove these when necessary. Do not probe any opening to remove fluff.
- Fan component parts should be cleaned using mild soap and a damp cloth or sponge. Do not allow any water or other liquid to enter the motor housing.
- Thoroughly remove soap film with clean water.

## Warrantee & Defective Product Claims:

Products manufactured by **POLAR-AIRE™** are warranted to the original consumer to be free of defects in material and workmanship for twelve (12) months from the original date of purchase. The warranty does not cover products modified outside our factory, damage or failure caused by acts of God, abuse, misuse, abnormal usage, faulty installation, failure to follow suggested maintenance procedures enclosed with this product (as defined by Magnuson-Moss Warranty-Federal Trade Commission Improvement Act) This unit is guaranteed to the original retail purchaser against defects in quality or workmanship for a period of one year from the date of original purchase. If the unit was purchased within the United States, return it, freight prepaid, to the place of purchase. This warranty does not cover damage due to accidents, operation on other than 120 volts, 60 hertz, AC. current, or any other abuse. All implied warranties, including the warranties of merchantability and of fitness of purpose, if applicable, are hereby limited in duration to the period of one year from the date of original retail purchase.

Should the retailer refuse the return, then the consumer needs to follow the procedure below. Defective product claims will require the following from the retail customer. Consumer should contact the company directly for how their claim will be processed. **If the retail store will NOT take the product back within the one year from date of purchase**, the customer must provide (send) the following to Geneva Industrial Products for a refund. 1) Dated receipt reflecting date of purchase, 2) UPC bar code from the carton the product was purchased in, 3) Power cord cut flush to the fan / heater. For a refund, **ALL 3 OF THESE ITEMS** need to be sent to Geneva Industrial Group, attention Customer Service. Be sure to include a return address so your refund can be sent to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. No informal dispute settlement mechanisms are available. This limited warranty is given in lieu of all other warranties.



## MANUAL DE USUARIO DE VENTILADOR ELÉCTRICO



**MODELO: VF – 18PM**

**ANTES DE OPERAR ESTE PRODUCTO, LEA, ENTENDA Y SIGA ESTAS INSTRUCCIONES.**


### ANTES DEL PRIMER USO

- Falta de ventilación. Tal como un armario o estantería
- Superficie irregular
- Apague y desenchufe la toma cuando el producto no esté en uso antes de montar o desmontar las piezas y antes de limpiarlas. Monte completamente el ventilador antes de encenderlo.
- Evite el contacto con objetos móviles. No inserte ninguna parte del cuerpo (por ejemplo, dedos) u objetos a través de la rejilla cuando el ventilador está funcionando.
- No cubra la rejilla, ni opere cerca de las cortinas, etc.
- Este producto se diseña para uso doméstico.
- Siempre desconecte el ventilador cuando lo mueva de un lugar a otro.
- El uso de accesorios no recomendados o vendidos por el distribuidor del producto puede causar riesgos o lesiones personales o materiales.
- Asegúrese de que el ventilador se opere sobre una superficie estable para evitar el vuelco.
- No se sumerge en agua.

Si el cable de alimentación está dañado, su fabricante o agente de servicio o persona similar calificada debe reemplazarlo, a fin de evitar cualquier tipo de riesgo.

### LEA Y GUARDE ESTAS INSTRUCCIONES PARA FUTURA CONSULTA

#### COMPONENTES DE ESTE PRODUCTO



- |                                    |                                    |
|------------------------------------|------------------------------------|
| 7. Rejilla delantera               | 1. Cuello                          |
| 8. Clip de rejilla                 | 2. Poste de extensión              |
| 9. Paleta de ventilador            | 3. Tuerca de poste de extensión    |
| 10. Tornillo de fijación de paleta | 4. Base                            |
| 11. Tornillo de rejilla trasera    | 5. Carga pesada                    |
| 12. Rejilla trasera                | 6. Sujetador de poete de extensión |
| 13. Eje de motor                   | 7. Carcasa de motor                |
| 14. Carcasa de motor               |                                    |

## **MONTAJE DEL PRODUCTO**

- Montar el poste de extensión en la base y la carga pesada debajo de la base con el sujetador
- Usar el sujetador a apretar el poste de extensión a la base
- Pasar la tuerca del poste de extensión a las roscas de este.
- Sacar la carcasa de motor del ventilador e insertarla en el poste de extensión y apretar firmemente el tornillo de fijación del cuello
- Quitar los cuatro tornillos de montaje de la carcasa de motor indicado para uso de rejilla trasera, y luego monte con tornillos la rejilla trasera en la carcasa de motor, apretar firmemente los 4 tornillos
- Colocar las paletas del ventilador en el eje de motor. Apretar firmemente las paletas con el tornillo de ajuste en la superficie plana del eje de motor
- Sujetar la rejilla delantera a la trasera con el gancho centrado en la parte superior por encima de la manija de cable. Presionar los demás clips de rejilla en la rejilla trasera para fijar firmemente la rejilla delantera. No opere el ventilador sin rejilla en su lugar.

## **OPERACIÓN DEL PRODUCTO**

- Conecte el enchufe a una toma de corriente.
- Gire on/off para encender el ventilador, gire el interruptor de control de "0" (apagado) a la velocidad deseada (1, 2 o 3).
- Pulse el botón de la carcasa de motor para iniciar la oscilación, empuje el botón para detenerla.
- Gire el conmutador de control superior a la posición "0" (apagado) para discontinuar el uso.

## **LIMPIEZA**

- Apague y desconecte la fuente de alimentación antes del montaje o desmontaje y la limpieza.
- Mantenga las rejillas de ventilación en la parte posterior del cuerpo principal libres de polvo o pelusa, se puede usar una aspiradora para quitarlos en caso necesario. No hay ninguna abertura para retirar la pelusa.
- Los componentes del ventilador deben limpiarse con jabón suave y un paño húmedo o una esponja. No permita que ninguna agua u otro líquido entre en la carcasa de motor.
- Retire completamente la película de jabón con agua limpia.

**PRECAUCIÓN: No utilice detergentes fuertes, limpiadores químicos o disolventes, ya que pueden dañar el acabado superficial de los componentes del ventilador.**

## **Garantía y Reclamaciones por Productos Defectuosos:**

Los productos fabricados por POLAR-AIRE™ están garantizados para el consumidor original de ser libres de defectos en materiales y mano de obra durante doce (12) meses a partir de la fecha original de compra. La garantía no cubre los productos modificados fuera de nuestra fábrica, daños o averías causadas por actos de Dios, abuso, mal uso, uso anormal, instalación defectuosa, si no se siguen los procedimientos de mantenimiento sugeridos adjuntos a este producto (según la definición de Magnuson-Moss Warranty-Federal Trade Commission Improvement Act) Esta unidad está garantizada para el comprador minorista original contra defectos de calidad o mano de obra durante un período de un año a partir de la fecha de compra original. Si la unidad se compró dentro de los Estados Unidos, devólvale, a portes pagados, al lugar de compra. Esta garantía no cubre los daños debidos a los accidentes, funcionamiento no sometido a 120 voltios, 60 hertz, AC. de corriente, o cualquier otro abuso. Todas las garantías implícitas, incluidas las garantías de comerciabilidad y de adecuación del objetivo, (si procede) por la presente quedan limitadas en su duración al período de un año desde la fecha de la compra original.

En caso de que el minorista rechace la devolución, entonces el consumidor tiene que seguir el siguiente procedimiento. Reclamos de productos defectuosos requerirá lo siguiente desde el cliente al por menor. Consumidor debe contactar con la compañía directamente para saber cómo se procesará su solicitud. **Si la tienda al por menor NO se llevará el producto de vuelta dentro de un año a partir de la fecha de compra**, el cliente deberá proporcionar (enviar) el siguiente a Geneva Industrial Products para un reembolso. 1) Recibo fechado reflejado la fecha de compra. 2) UPC código de barras sobre la caja en la que el producto se compra. 3) Cable de alimentación cortado al ras con el ventilador / calentador. Para el reembolso, **TODOS LOS 3 ITEMS** deben enviar a Geneva Industrial Group, la atención de Servicio al Cliente. Asegúrese de incluir la dirección del remitente para que su reembolso se pueda enviar a usted.

Esta garantía le otorga derechos legales específicos, y usted también puede tener otros derechos que varían de estado a estado. No hay disponibles mecanismos de solución para controversias informales. Esta garantía limitada se ofrece en lugar de toda otra garantía.

